



SHUBH ENGINEERING WORKS

KING
Lambi Daud...

CONSTRUCTION EQUIPMENTS.

Dynamics, Solid Management, Versatility, Robustness, Security & High Performance...

<https://indiashubh.com>

KING

REVERSIBLE CONCRETE MIXER



800/1050 Ltr. Reversible Concrete Mixer

Capacity	RM 800	RM 1050
Out put	10-12 Cub M/Hr.	12-15 Cub M/Hr.
Machine output	600	750
Power	12.5 H.P Electric Motor	15 H.P Electric Motor
Loading Hopper	1 Nos. Hydraulic Operated Heavy Duty Power Patch.	2 Nos. Hydraulic Operated Heavy Duty Power Patch.
Water Tank Capacity	150.	200.
Weighing Systems	Electrical Devise Separate Control Panel	Electrical Devise Separate Control Panel
No of Bins	1, 2, & 3	1, 2, & 3

KING

CONCRETE BATCHING PLANT



SHUBH MOBILE CONCRETE BATCHING PLANTS TECHNICAL SPECIFICATIONS

MOBILE BATCHING PLANT TYPE					
Specifications	UNIT	RMB-15 M	RMB-20 M	RMB-30 M	
PLANT CAPACITY					
Compacted Concrete	m ³ /hr	15	20	30	
Mixer Specifications					
Mixer Capacity	M ³	0.5	0.75	1.00	
Compacted Concrete	Lt.	750	1050	1400	
Motor Power	H.P.	12.5	15	20	
Aggregate Bunker					
Number of Aggregate Parts	Unit	04	04	04	
Bunker Shapes		1	2	1	2
		3	4	3	4
Aggregate Part Capacity	M ³	2.5	3	3.5	
Total Capacity	M ³	10	12	14	
Aggregate Weighing Belt Conveyor					
Width	MM	650	800	1000	
Motor Power	H.P.	3	5	7.5	
Weighing		Digital load cell based weighing Systems			
Cement Screw Conveyor					
Motor Power	H.P.	7.5	7.5	7.5	
Compressor					
Motor Power	H.P.	2	3	3	
PLC Based Electrical Device Separate Control Panel with Control System					
Total Power	H.P.	33	38	42	



<https://indiashubh.com>



10/7 Cft. Concrete Mixer with Mechanical Hopper

Capacity	10/7 Cu. Ft.
Power	6.5 H.P. Air cooled Diesel Engine Or 7.5 H.P. Electric Motor
Output	8 Cubic M/Hr.
Mixing Drum	Heavy Duty Drum with Bearing & M/S
Loading Hopper	Mechanical Operated Wire rope type

Concrete Mixer Without Hopper

Technical Data	Batch Capacity		Out Put Per Hour	Power	
	Unmixed	Mixed		Diesel Eng.	Ele. Motor
300 Litres	10 Cft.	07Cft.	6 to 8 cu. mt.	5 HP	5 HP
200 Liters	07 Cft.	05Cft.	4 to 5 cu.mt.	5 HP	3 HP
100 Liters	05 Cft.	3.5Cft.	2 to 3 cu. mt.	5 HP	3 HP

Small Concrete Mixer

Capacity	90 Liters
Power	0.75 H.P. Electric Motor 1 Phase
Mixing Drum	Heavy Duty, Robust Made Form Steel Sections.



KING

HYDRAULIC CONCRETE MIXER



10/7 Ccf. Concrete Mixer with Inbuilt Weighing Systems

Capacity	10/7 Cubic Feet
Power	8 H.P. Air cooled Diesel Engine Or 7.5 H.P. Electric Motor
Mixing Drum	Heavy Duty Drum with Bearing & M/S Blades
Loading Hopper	Hydraulic Operated Heavy Duty Power Patch 1 Nos.
Weighing System	Load Cell Based Weighing System with Digital Display.
Out Put	8 Cubic M/Hr.
No of Bins	1 & 2.
Water Tank	Optional



10/7 Ccf. Concrete Mixer with Hydraulic Hopper

Capacity	10/7 Cubic Feet
Power	8 H.P. Air cooled Diesel Engine Or 7.5 H.P. Electric Motor
Mixing Drum	Heavy Duty Drum with Bearing & M/S Blades
Loading Hopper	Hydraulic Operated Heavy Duty Power Patch 1 Nos.
Output	8 Cubic M/Hr.
Water Tank	Optional

KING LIFTING EQUIPMENT



Lifting Equipment

Tower Hoist Channel Type

Power	12.5 HP Elec. Motor
Capacity	750 Kg gross load Carrying Capacity
Height	As Per Requirements
Speed	33 Mtr. / Minutes
Wire Rope	12 MM
Channel	100 x 50 mm
Angle	35 x 5 mm

Tower Hoist Channel Type

Power	10 HP Elec. Motor 10 HP Air cooled Diesel Engine
Capacity	750 Kg gross load Carrying Capacity
Height	As Per Requirements
Speed	25 Mtr. / Minutes
Wire Rope	12 MM
Column	50 x 50 x 5 mm Angle



Wheel Barrow

Wheel Barrow	Single Type	Double Type
Capacity	0.1 Cub. Mtr.	0.1 Cub. Mtr.
Wheels	305 x 8 x 1 Nos.	305 x 8 x 2 Nos.
Size	760 x 450 x 300 mm	760 x 450 x 300 mm
Batch Capacity	35 Kg.	40 Kg.



Sand screening plant with conveyor system

Model	Decks	Power	Capacity/Hour	Motor RPM
6x3	1x3	3 hp	8 ton	1440
8x4	1x3	5 hp	15/20 ton	1440
10x4	1x3	5/7.5 hp	20 /25 ton	1440
12x4	1x3	7.5/10 hp	30 /35 ton	1440
14x4	1x3	10/15 hp	40/ 60 ton	1440
16x5	1x3	12/15 hp	80/100 ton	1440



Sand Screening Machine		
Specifications	Electrical	Manual
Capacity	4m ³ / hrs	2m ³ / hrs
Size	2400-L x 1200-W x 1390-H	2400-L x 900-W x 1260-H
Screen	6 mesh / 8 mesh	6 mesh / 8 mesh
Drive	0.5 HP Single Phase Motor	-
Gear Box	20 : 1 Ratio Worm Gera Box	-





KING CONSTRUCTION EQUIPMENT

OUR PRODUCT

REVERSIBLE CONCRETE MIXER
CONCRETE BATCHING PLANT
CONCRETE MIXER
HYDRAULIC CONCRETE MIXER
LIFTING EQUIPMENT
SAND SCREENING EQUIPMENT
BAR BANDING & CUTTING
SCAR FOLDING

SHUBH ENGINEERING WORKS

72, G.I.D.C., Ganeshpur, Modasa-383 315, Dist.: Arvalli, Gujarat, (INDIA).
 Phone : 02774-243000, 250072 | Mo. +91 9998499972, 94270 80904
 E-mail : info@indiashubh.com | info.shubhengineering@gmail.com



<https://indiashubh.com>